

Safety Data Sheet

Product :

Sulphur dioxide

Page :1/5

MSDS Nr : 334-00-0002BOC(A)

Version : 1.04

Date : 19/10/2004

Replaces version dated : 29/07/1994

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY

Product name	Sulphur dioxide
Chemical formula	SO ₂
Company identification	see heading and/or footer
Emergency phone numbers	see heading and/or footer

2 COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Preparation	Substance.
Components/Impurities	Contains no other components or impurities which will influence the classification of the product.
CAS Nr	7446-09-5
EC Nr (from EINECS)	231-195-2

3 HAZARDS IDENTIFICATION

Hazards identification	Toxic by inhalation. Corrosive to eyes, respiratory system and skin. Liquefied gas
------------------------	--

4 FIRST AID MEASURES

Inhalation	Toxic by inhalation. Remove victim to uncontaminated area wearing self contained breathing apparatus. Keep victim warm and rested. Call a doctor. Apply artificial respiration if breathing stopped. Delayed adverse effects possible.
Skin/eye contact	May cause chemical burns to skin and cornea (with temporary disturbance to vision) Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contaminated clothing. Drench affected area with water for at least 15 minutes Obtain medical assistance
Ingestion	Ingestion is not considered a potential route of exposure.

5 FIRE FIGHTING MEASURES

Specific hazards	Non flammable Exposure to fire may cause containers to rupture/explode.
Hazardous combustion products	None that are more toxic than the product itself.
Suitable extinguishing media	All known extinguishants can be used.
Specific methods	If possible, stop flow of product. Move away from the container and cool with water from a protected position.

Safety Data Sheet

Product :

Sulphur dioxide

Page :2/5

MSDS Nr : 334-00-0002BOC(A)

Version : 1.04

Date : 19/10/2004

Replaces version dated : 29/07/1994

Special protective equipment for fire fighters

Use self-contained breathing apparatus and chemically protective clothing.

6 ACCIDENTAL RELEASE MEASURES

Personal precautions

Evacuate area.

Use self-contained breathing apparatus and chemically protective clothing.

Ensure adequate air ventilation.

Environmental precautions

Try to stop release.

Reduce vapour with fog or fine water spray.

Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous.

Clean up methods

Ventilate area.

Hose down area with water.

Wash contaminated equipment or sites of leaks with copious quantities of water.

7 HANDLING AND STORAGE

Handling and storage

Keep container below 50°C in a well ventilated place.

Refer to supplier's container handling instructions.

Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Contact your gas supplier if in doubt.

Do not allow backfeed into the container.

Suck back of water into the container must be prevented.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure limit value for country

UK: Sulphur dioxide - LTEL: 1ppm; STEL: 1ppm (Withdrawn from EH40 April 2003: these values recommended as maxima in HSE CHAN 34)

Germany: Sulphur dioxide - MAK: 2ppm

France: Sulphur dioxide - VLE: 5ppm

Personal protection

Keep suitable chemically resistant protective clothing readily available for emergency use.

Keep self contained breathing apparatus readily available for emergency use.

Do not smoke while handling product.

Ensure adequate ventilation.

Protect eyes, face and skin from liquid splashes.

Safety Data Sheet

Product :

Sulphur dioxide

Page :3/5

MSDS Nr : 334-00-0002BOC(A)

Version : 1.04

Date : 19/10/2004

Replaces version dated : 29/07/1994

9 PHYSICAL AND CHEMICAL PROPERTIES

Molecular weight	64
Melting point	-75.5 °C
Boiling point	-10 °C
Critical temperature	158 °C
Relative density, gas	2.2 (air=1)
Relative density, liquid	1.5 (water=1)
Vapour Pressure 20°C	3.3 bar
Solubility mg/l water	113 g/l at 20°C
Appearance/Colour	Colourless gas
Odour	Pungent
Other data	Gas/vapour heavier than air. May accumulate in confined spaces, particularly at or below ground level.

10 STABILITY AND REACTIVITY

Stability and reactivity	Reacts with water to form corrosive acids. With water causes rapid corrosion of some metals. May react violently with alkalis.
--------------------------	--

11 TOXICOLOGICAL INFORMATION

General	Severe corrosion to skin, eyes and respiratory tract at high concentrations. Delayed fatal pulmonary oedema possible.
LC50/1h (ppm)	2520 ppm

12 ECOLOGICAL INFORMATION

General	May cause pH changes in aqueous ecological systems.
---------	---

13 DISPOSAL CONSIDERATIONS

General	Avoid discharge to atmosphere. Do not discharge into any place where its accumulation could be dangerous. Gas may be scrubbed in alkaline hypochlorite solution under controlled conditions to avoid violent reaction. Contact supplier if guidance is required.
---------	---

Safety Data Sheet

Product :

Sulphur dioxide

Page :4/5

MSDS Nr : 334-00-0002BOC(A)

Version : 1.04

Date : 19/10/2004

Replaces version dated : 29/07/1994

14 TRANSPORT INFORMATION

Proper shipping name	SULPHUR DIOXIDE
UN Nr	1079
Class	2.3
Subsidiary risk	8
ADR/RID Classification code	2TC
ADR/RID Hazard Nr	268
Packing group	None
Labelling ADR	Label 2.3: toxic substance. Label 8: corrosive substance.
IMDG EmS codes	F-C, S-U
IMDG Marine pollutant	No
IATA passenger packing instruction	Forbidden
IATA passenger max. quantity/pack	Forbidden
IATA cargo packing instruction	200
IATA cargo max. quantity/pack	25kg
Other transport information	Avoid transport on vehicles where the load space is not separated from the driver's compartment. Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency. Before transporting product containers ensure that they are firmly secured and: - cylinder valve is closed and not leaking - valve outlet cap nut or plug (where provided) is correctly fitted - valve protection device (where provided) is correctly fitted - there is adequate ventilation. - compliance with applicable regulations.

15 REGULATORY INFORMATION

Number in Annex I of Dir 67/548	016-011-00-9.
EC Classification	T;R23 C;R34
-Symbols	T: Toxic
Labelling of cylinders	
-Symbols	Label 2.3: toxic substance. Label 8: corrosive substance.

Safety Data Sheet

Product :

Sulphur dioxide

Page :5/5

MSDS Nr : 334-00-0002BOC(A)

Version : 1.04

Date : 19/10/2004

Replaces version dated : 29/07/1994

-Risk phrases

R23 Toxic by inhalation.

R34 Cause burns (to eyes, respiratory system and skin).

-Safety phrases

S9 Keep container in well ventilated place.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

S45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

16 OTHER INFORMATION

Ensure all national/local regulations are observed.

Ensure operators understand the toxicity hazard.

Users of breathing apparatus must be trained.

This Safety Data Sheet has been established in accordance with the applicable European Directives and applies to all countries that have translated the Directives in their national laws.

Before using this product in any new process or experiment, a thorough material compatibility and safety study should be carried out.

Details given in this document are believed to be correct at the time of going to press. Whilst proper care has been taken in the preparation of this document, no liability for injury or damage resulting from its use can be accepted.

End of document.

Number of pages :5